



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED





SECTION A-A

NOTES

- FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

1. FIRST DIMENSION IS METRIC, SECOND IN BRACKETS IS INCHES.			DRAWN BY: PERRITT		<div><div><div>RB</div></div>RED BARN MACHINE</div>													
			APPROVED															
			HEAT TREAT															
			FINISH SPEC --															
			USED ON MODEL		TITLE D RING													
			VOIR NOTA PL.0															
<table><tr><td>PART #</td><td>QTY</td><td>DESCRIPTION</td></tr><tr><td>D</td><td>1</td><td>1018 CDS TUBING Ø6-1/4 OD, x 1 wall x 3/4 LONG</td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>			PART #	QTY	DESCRIPTION	D	1	1018 CDS TUBING Ø6-1/4 OD, x 1 wall x 3/4 LONG							UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ±.5°		DWG NO. TM0038P005-DREV	
			PART #	QTY	DESCRIPTION													
			D	1	1018 CDS TUBING Ø6-1/4 OD, x 1 wall x 3/4 LONG													
			UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		SCALE NTS													
					DATE 10-2-06													
					SHEET 5 of 5													

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



C


NOTES

- FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

DRAWN BY: PERRITT		<div><div><div>RB</div></div>RED BARN MACHINE</div>					
APPROVED							
HEAT TREAT							
FINISH SPEC --		TITLE					
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		C TUBE					
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1		DWG NO.			TM0038P005-C		REV
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		SCALE		DATE		SHEET	
		NTS		10-2-06		4 of 5	

PART #	QTY	DESCRIPTION
C	1	1018 DOM TUBING Ø5 OD. x 1/4 wall x 3-1/4 LONG

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED




NOTES

1. FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.



DRAWN BY: PERRITT		<div><div><div>RB</div></div>RED BARN MACHINE</div>				
APPROVED						
HEAT TREAT						
FINISH SPEC --		TITLE B GUSSET				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES						
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1		DWG NO. TM0038P005-B				
FRACTIONS ± 1/32 ANGLES ± 5°						
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 X 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		REV				
SCALE		NTS	DATE	10-2-06	SHEET	3 of 5

PART #	QTY	DESCRIPTION
B	2	1018 FLAT BAR 3/16 x 1-1/2 x 1-5/16 LONG

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED






A



NOTES

- FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

1. FIRST DIMENSION IS METRIC, SECOND IN BRACKETS IS INCHES.			DRAWN BY: PERRITT		<div><div>RB</div>RED BARN MACHINE</div>						
			APPROVED								
			HEAT TREAT		TITLE <div>A BRACKET BASE</div>						
			FINISH SPEC --								
USED ON MODEL VOIR NOTA PL.0			UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± .5° .X ± .1			DWG NO. TM0038P005-A			REV		
PART # QTY DESCRIPTION			UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING			SCALE NTS		DATE 10-2-06		SHEET 2 of 5	
A 1 1018 FLAT BAR 3/8 x 1-1/2 x 6-5/8 LONG											



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION
A	1	BASE
B	2	GUSSET
C	1	TUBE
D	1	RING

NOTES

- FIRST DIMENSION IS METRIC,
SECOND IN BRACKETS IS INCHES.

USED ON MODEL
VOIR NOTA PL.0

DRAWN BY:	PERRITT
APPROVED	
HEAT TREAT	
FINISH SPEC	--
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± .5°
.X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

RED BARN MACHINE	
TITLE MOTOR SUPPORT BRACKET	
DWG NO. TM0038P005	REV
SCALE 1:50	DATE 10-2-06
SHEET 1 of 5	

REVISIONS			
REV	DESCRIPTION	DATE	APPROVE

PART #	QTY	DESCRIPTION
-1	2	1" x 1-1/2" x RECT. STEEL TUBING

USED ON MODEL
ARRIEL 1E-1E2

DRAWN BY: PERRITT	
APPROVED	
HEAT TREAT	
FINISH SPEC	--
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± 5°
.X ± .1	
UNLESS OTHERWISE SPECIFIED	
1. BREAK ALL SHARP EDGES	
015 x 45° PR .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	

 RED BARN MACHINE			
TITLE BATI SUPPORT MOTUER			
DWG NO. 8819116000			RI
SCALE	NTS	DATE	4-14-06
		SHEET	1 of 3

NOT APPROVED FOR PRODUCTION

REVISIONS			
REV	DESCRIPTION	DATE	APPROVED

PART #	QTY	DESCRIPTION
-1	1	4140 3/16 x 1 1/2 x 4

USED ON MODEL ? 	DRAWN BY: PERRITT	<div>RB</div> RED BARN MACHINE	
	CHECKED		
	HEAT TREAT		
	FINISH SPEC		
	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± .5°	TITLE	
	UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	DWG NO.	REV.
		PART #	
		SCALE NTS	DATE 1-28-06 SHEET 1 of 1